

THIS IS ISSUED IN STRICT CONFIDENCE THAT IT IS NOT USED AS A BASIS FOR MANUFACTURE OR SALE AND THAT IT IS NOT COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CAL TEST ELECTRONICS, INC.

NOTES:

1. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
2. PROBE ASSEMBLY POTENTIALLY TO BE UL LISTED.
3. SPECIFICATIONS:

1. PROBE, TIP COVER, & BANANA PLUG BODY: POLYPROPYLENE (PP).

1. PROBE BODY, BANANA PLUG BODY AND WIRE COLOR PER TABLE.

2. TIP COVER COLOR, GREY.

2. PROBE TIP:

1. 2mm: BRASS, NICKEL PLATED.

2. 4mm BANANA PLUG: BRASS, NICKEL PLATED.

1. BANANA PLUG CONTACT: BeCu, NICKEL PLATED.

3. TEST LEAD WIRE: 18AWG, PVC JACKET, STRANDED, UL STYLE 1803.

4. BANANA PLUG BODY: BRASS, NICKEL PLATED.

5. 4mm BANANA PLUG CONTACT: BeCu, NICKEL PLATED.
4. RATING:

1. IEC VOLTAGE: 1500 V DC CAT III / 1000 V CAT IV.

2. CURRENT: 10 A MAX.

3. TEMPERATURE: 0°C TO +40°C MAX.
5. CE MARKING:

1. RoHS 2+ COMPLIANT


2. LVD COMPLIANT (IEC 61010-031)
6. PROBE BODY MARKINGS PER DRAWING 451-168-000.
7. REACH COMPLIANT.

MODEL NUMBER
CT4536-XX-000-#

COLOR:
0 - BLACK
2 - RED


LENGTH:
000 (IN CENTIMETERS)

VERSIONS:
01 - 2mm TIP TO RT-ANGLE BANANA PLUG
02 - 2mm TIP TO STRAIGHT BANANA PLUG
03 - 4mm BANANA PLUG TIP TO RT-ANGLE BANANA PLUG
04 - 4mm BANANA PLUG TIP TO STRAIGHT BANANA PLUG




THIRD ANGLE PROJECTION		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: X.X = ±0.5 X.X* = ±0.5* X.XX = ±0.25 X.XXX = ±0.125 DO NOT SCALE DRAWING		PROJECT NO. A804c		METRIC		Cal TestELECTRONICS		22820 Savi Ranch Pkwy. Yorba Linda, CA 92887 USA					
	REFERENCE			APPROVALS		DATE		TITLE DMM PROBE LEADS, RIGHT-ANGLE AND STRAIGHT SHEATHED BANANA PLUGS							
				DRAWN WDH		10/16/2024									
				CHECKER											
MATERIAL SEE NOTES		TREATMENT NONE		ENGR. B. Hansen		8/6/2024		SIZE C		CAGE CODE 43F45		DWG. NO. CT4536		REV. A	
FINISH SEE NOTES		DESIGN ACTIVITY						SCALE 1:10				SHEET 1 OF 3			


D



C




B




VERSION -01
2mm TIP TO RIGHT-ANGLE 4mm SHEATHED
BANANA PLUG

A


2



2



2



VERSION -02
2mm TIP TO STRAIGHT 4mm SHEATHED
BANANA PLUG

2

1

D

C

B

A

METRIC	APPROVALS		DATE	SIZE	CAGE CODE	DWG. NO.	REV.
	DRAWN	WDH	10/16/2024	C	43F45	CT4536	A
	CHECKER			SCALE	1:1	SHEET 2 OF 3	

4

3

1

D

C

B





A

4

3

2

1



VERSION -03
4mm BANANA PLUG TIP TO RIGHT-ANGLE
4mm SHEATHED BANANA PLUG

VERSION -04
4mm BANANA PLUG TIP TO STRAIGHT 4mm
SHEATHED BANANA PLUG

METRIC

APPROVALS		DATE	SIZE	CAGE CODE	DWG. NO.	REV.
DRAWN	WDH	10/16/2024	C	43F45	CT4536	A
CHECKER			SCALE	1:1	SHEET	3 OF 3

4

3

2

1

D

C

B

A